10.11-01-

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q90831

Yutaka KITAMURA, et al.

Application. No.: 10/555,090

Group Art Unit: 2809

Confirmation No.: 9358

Examiner: Naishadh N. DESAI

Filed: November 2, 2005

For: VEHICULAR ROTATING ELECTRICAL MACHINE APPARATUS

REQUEST FOR REFUND

MAIL STOP 16
Director of the U.S. Patent and Trademark Office P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The present Application was filed on November 2, 2005, containing a single independent claim. In response to the Office Action of June 7, 2007, Applicants submitted an Amendment wherein two (2) additional independent claims were added. A copy of the Amendment of September 7, 2007 is included. As such the present Application, as amended, includes three (3) independent claims.

However, the Legal Instrument Examiner has indicated that four (4) independent claims were included in the Amendment submitted on September 7, 2007. The Patent application Fee Determination Record completed by Audris Sias is enclosed herein. A fee of \$200.00 for the alleged additional claim was charged to Deposit account 19-4880 on September 12, 2007, as reflected on the enclosed USPTO Sales Receipt and USPTO Monthly Statement of Deposit Account.

Attorney Docket No. Q90831

REQUEST FOR REFUND U.S. Application No. 10/555,090

Applicants hereby respectfully request a refund in the amount of \$200.00, as each presented claim has already been paid for. Applicants respectfully request for this refund to be credited to Deposit Account No. 19-4880.

Respectfully submitted,

SUGHRUE MION, PLLC Telephone: (202) 293-7060 Facsimile: (202) 293-7860

WASHINGTON OFFICE

23373

CUSTOMER NUMBER

Date: October 19, 2007

/Nataliya Dvorson/ Nataliya Dvorson Registration No. 56,616 Document code: WFEE

United States Patent and Trademark Office Sales Receipt for Accounting Date: 09/12/2007

CSIAS1 SALE #00000002 Mailroom Dt: 09/07/2007 194880 10555090

01 FC: 1201 200.00 DA

PTO/S8/08 (07-06)

Approved for use through 1/31/2007. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no parsons are required to respond to a collection of information unless it displays a valid OMB control number. Application or Docket Number Filing Date PATENT APPLICATION FEE DETERMINATION RECORD 10/555,090 11/02/2005 belish ed of Substitute for Form PTO-875 APPLICATION AS FILED - PART I OTHER THAN SMALL ENTITY OR · SMALL ENTITY (Column 2) (Column 1) NUMBER FILED RATE (\$) RATE (\$) FEE (\$) FEE (\$) FOR NUMBER EXTRA BASIC FEE NA NA NA N/A (37 CFR 1.18(b), (b), cr (c)) SEARCH FEE N/A NA NA 1 N/A (37 CFR 1.16(k), (f), or (m)) **EXAMINATION FEE** NA NA NA NA (37 CFR 1.16(o), (p), or (q)) TOTAL CLAIMS OR X \$ X \$ minus 20 = (37 CFR 1.16(1)) INDEPENDENT CLAIMS X \$ X \$ (37 CFR 1.16(h)) If the specification and drawings exceed 100 sheets of paper, the application size fee due ☐APPLICATION SIZE FEE is \$250 (\$125 for small entity) for each (37 CFR 1.18(s)) additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(a). MULTIPLE DEPENDENT CLAIM PRESENT (37 CFR 1.160)) TOTAL TOTAL * If the difference in column 1 is tess than zero, enter *0* in column 2. APPLICATION AS AMENDED - PART II OTHER THAN SMALL ENTITY OR SMALL ENTITY (Column 3) (Column 1) (Column 2) CLAIMS HIGHEST **ADDITIONAL** NUMBER PRESENT ADDITIONAL REMAINING RATE (\$) 09/07/2007 RATE (\$) FEE (\$) FEE (\$) **PREVIOUSLY** EXTRA AFTER AMENDMENT PAID FOR **AMENDMENT** Total (37 CFR 0 - 11 **~ 21** - 0 X \$50= Minus X \$ 1.16(7)} Independent (37 CFR 1.18(h)) 200 **...3** a 1 X \$ OR X \$200° Minus Application Stze Fee (37 CFR 1.16(8)) OR FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(I)) TOTAL TOTAL OR 200 **ADD'L** ADDL FEE FEE (Column 1) (Column 2) (Column 3) **HIGHEST** CLAIMS **ADDITIONAL** ADDITIONAL **PRESENT** REMAINING NUMBER RATE (\$) RATE (\$) FEE (\$) EXTRA FEE (\$) **PREVIOUSLY** AFTER **AMENDMENT** PAID FOR AMENDMENT Total (ST CFR OR X \$ Minus X \$ 1,1901 Independent OR Minus X \$ X S (37 CFR & MON!) Application Size Fee (37 CFR 1.18(a)) OR FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM (37 CFR 1.16(I))

TOTAL

ADDL

FEE

OR

TOTAL

ADDIL

FEE

The "Highest Number Previously Paid For" (Total or Independent) is the highest number found in the appropriate box in column 1.

This collection of information is required by 37 CFR 1.15. The information is required to obtain or rotain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering. preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

^{*} If the entry in column 1 is less than the entry in column 2, write "0" in column 3.

^{**} If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, onter *20".

^{***} If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, enter "3".

Legal Instrument Examiner: **Audris Sias**

Document code: WFEE

United States Patent and Trademark Office Sales Receipt for Accounting Date: 09/12/2007

CSIAS1 Mailroom Dt: 09/07/2007 194880 01

FC: 1201 200.00 DA



UNITED STATES PATENT AND TRADEMARK OFFICE

United States Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450 www.uspto.gov

MONTHLY STATEMENT OF DEPOSIT ACCOUNT

To replenish your deposit account, detach and return top portion with your check. Make checks payable to "Director of the USPTO."

> SUGHRUE MION, PLLC 2100 PENNA AVE N W SUITE 800 WASHINGTON DC 20037

FINA

Accou	nt No.	<u>_</u>
	194880	
Date		
	9-28-07	
Page		
	29	

PLEASE SEND REMITTANCES TO: U.S. Patent and Trademark Office P.O. Box 979085 St Louis, MO 63197-9000

Call the Deposit Account Branch at B71-272-6500 for assistance.

DATE POSTED CHARGES! FEE CONTROL DESCRIPTION BALANCE DOCKET NO. CRED TS CODE (Scrial, Petent, TM, Order) NO. MD. DAY YR. 203404.75 400.00 Q83404 1202 4088 10932306 12107 203364.75 40.00 Q103760 8021 4104 11908360 12 07 790.00 202574.75 1801 Q77131 12 07 4160 10657103 056144 1400.00 201174.75 1501 164 09414507 12]07 1400.00 Q85202 1501 199774.75 179 12 07 11008225 199474.75 11008225 300.00 Q85202 1504 180 12 07 199024.75 450.00 Q84447 1252 6149 10979149 107 198894.75 1051 130.00 Q102197 151 12 07 11768313 198764.75 130.00 1051 Q103112 7417 11816195 12 | 07 198464.75 300.00 7004 S10211 7434 78734658 12 107 198164.75 Q103540 1011 300.00 7604 12 07 11853853 197664.75 500.00 Q103540 1111 7605 11853853 12 07 197464.75 200.00 1311 Q103540 7606 1.1853853 12 07 200.00 197264.75 Q103540 1201 7607 12 07 11853853 Q103112 (JTC) 8021 40.00 197224.75 11816195 7608 12 07 197184.75 8021 40.00 Q103540 11853853 9 12 07 7647 1020.00 196164.75 Q71089 1253 9 12 07 7695 10197600 Q71089 195374.75 1801 790.00 10197600 7696 12 07 Q102383 DJC/AMB 8021 195334.75 40.00 11777261 12 07 7753 195134.75 8008 044907 200.00 08407973 12 07 7755 195109.75 044907 8010 25.00 12 07 7756 08407973 130.00 194979.75 1051 7797 11817835 Q103535 12 07 40.00 194939.75 11813209 Q102132 DJC/AMB 8021 7815 12 07 8021 40.00 194899.75 Q103535 (JTC) 11817835 12 07 7920 511176 194574.75 7001 325.00 8090 12 07 77002975 194394.75 ·Q86052 1806 180.00 9 12 07 10525014 7004 150.00 194244.75 **S9806** 78639848 12 07 8229 194094.75 Q82537 1202 8473 150.00 10897112 12 07 193894.75 Q82537 200.00 8474 1201 9 12 07 10897112 193744.75 59808 7004 150.00 78639862 9 12 07 9053 8011 193689.75 55.00 9064 12 07 90007176 192669.75 Q88260 1253 1020.00 9161 11141319 12 07 088260 192169.75 1401 500.00 9 12 07 9162 <u>11</u>141319 191969.75 Q90831 1201 200.00 10555090 9 12 07 2 120.00 191849.75 **Q83702** 1251 10942971 9 12 07 9266 Q85980 500.00 191349.75 1202 11079201 9 12 07 TOTAL CHARGES CLOSING BALANCE TOTAL CREDITS OPENING BALANCE AN AMOUNT SUFFICIENT TO COVER ALL SERVICES REQUESTED MUST ALWAYS BE ON DEPOSIT

MS020F (7/2007)

*** O.D. INDICATES OVERDRAWN

Electronic Ac	knowledgement Receipt	
EFS ID:	2173179	
Application Number:	10555090	
International Application Number:		
Confirmation Number:	9358	
Title of Invention:	Vehicular Rotating Electrical Machine Apparatus	
First Named Inventor/Applicant Name:	Yutaka Kitamura	
Customer Number:	23373	
Filer:	Kelly G. Hyndman/Alysia Durant	
Filer Authorized By:	Kelly G. Hyndman	
Attorney Docket Number:	Q90831	
Receipt Date:	07-SEP-2007	
Filing Date:	02-NOV-2005	
Time Stamp:	19:10:00	
Application Type:	U.S. National Stage under 35 USC 371	

Payment information:

3	Submitted with Payment	no	:

File Listing:

Document Number	Document Description	File Name	File Size(Bytes) /Message Digest	Multi Part /.zip	Pages (if appl.)
1	Amendment - After Non-Final	C90831Amendment nett	129532		15
	Rejection	Q90831Amendment.pdf	e2b6k8ubs7e300057e66857006325601 1 0550pd	no	
Warnings:					-

Information:

Total Files Size (in bytes):

6355421

This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.

New Applications Under 35 U.S.C. 111

If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.

National Stage of an International Application under 35 U.S.C. 371

If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.

New International Application Filed with the USPTO as a Receiving Office

If a new international application is being filed and the international application includes the necessary components for an international filing date (see PCT Article 11 and MPEP 1810), a Notification of the international Application Number and of the International Filing Date (Form PCT/RO/105) will be issued in due course, subject to prescriptions concerning national security, and the date shown on this Acknowledgement Receipt will establish the international filing date of the application.

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q90831

Yutaka KITAMURA, et al.

Application. No.: 10/555,090

Group Art Unit: 2809

Confirmation No.: 9358

Examiner: Naishadh N. DESAI

Filed: November 2, 2005

For:

VEHICULAR ROTATING ELECTRICAL MACHINE APPARATUS

AMENDMENT UNDER 37 C.F.R. § 1.111

MAIL STOP AMENDMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated June 7, 2007, please amend the above-identified application as follows on the accompanying pages.

TABLE OF CONTENTS

AMENDMENTS TO THE CLAIM	иs	
REMARKS		

Application No.: 10/555,090

Attorney Docket No.: Q90831

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the

application:

LISTING OF CLAIMS:

1. (currently amended): A vehicular rotating electrical machine apparatus

comprising:

a rotating electrical machine including a shaft rotatably supported by a pair of brackets

having a suction hole at an end face and an exhaust hole at an outer periphery, a rotor disposed in

the pair of brackets, fixed to the shaft, having a field winding mounted to an inside, and having

cooling fans mounted to both end faces, and an armature fixed to the pair of brackets at an outer

periphery of the rotor to surround the rotor and including an armature iron core on which an

armature winding is wound, and

an inverter unit which converts DC power of a battery into AC power, supplies the AC

power to the armature winding and causes the rotor to generate rotating power, or converts AC

power generated in the armature winding into DC power and charges the battery, the inverter

unit including an inverter module having plural switching elements and at least a field current

control device for controlling the field current or a control device for controlling switching

operations of the plural switching elements,

in which wherein the inverter unit has a substantially hollow cylindrical shape or hollow

polygonal prism shape, and includes a heat sink constructed with plural heat radiating fins

formed of metal material in at least one part of an inner peripheral surface or an anti-bracket side

end face or an outer peripheral surface, the inverter module and at least the field current control

Application No.: 10/555,090

Attorney Docket No.: Q90831

device or the control device are mounted on the heat sink and a thermal conduction blocking portion is provided such that part of the heat sink on which the inverter module is mounted and the part of the heat sink on which the field current control device or the control device is mounted are not thermally influenced by each other, covered by a cover fixed to either one of the outer end faces of the paired brackets integrally and having a suction hole in the end face in an axis direction thereof having many heat radiating fine at least part of an outer surface, and the inverter unit-surrounds the shaft-at-an-anti-load-side-end-of-the-rotating-electrical-machine, and is disposed to cause cooling air sucked through the suction hole of the cover in the axial direction by the cooling fan to cool the heat radiating fins before cooling of the rotating electrical machine.

- 2. (canceled).
- (currently amended): A vehicular rotating electrical machine apparatus comprising: according to claim-1, characterized in that the inverter unit includes the

a rotating electrical machine including a shaft rotatably supported by a pair of brackets having a suction hole at an end face and an exhaust hole at an outer periphery, a rotor disposed in the pair of brackets, fixed to the shaft, having a field winding mounted to an inside, and having cooling fans mounted to both end faces, and an armature fixed to the pair of brackets at an outer periphery of the rotor to surround the rotor and including an armature iron core on which an armature winding is wound, and

Application No.: 10/555,090

Attorney Docket No.: Q90831

an inverter unit which converts DC power of a battery into AC power, supplies the AC power to the armature winding and causes the rotor to generate rotating power, or converts AC power generated in the armature winding into DC power and charges the battery, the inverter unit including an inverter module having plural switching elements and at least a field current control device for controlling the field current or a control device for controlling switching operations of the plural switching elements,

wherein the inverter unit has a substantially hollow cylindrical shape or hollow polygonal prism shape and a heat sink heving the many-constructed with plural heat radiating fins made formed of metal material in at least one place-part of a bracket side end face and an outer peripheral surface, is integrally fixed to an outside end face of one of the pair of brackets the inverter module and at least the field current control device or the control device are mounted on the heat sink and a thermal conduction blocking portion is provided such that part of the heat sink on which the inverter module is mounted and the part of the heat sink on which the field current control device or the control device is mounted are not thermally influenced by each other, and is covered by a cover provided with many-fixed to either one of the outer end faces of the paired brackets integrally and having plural suction holes at an on the outer peripheral surface, and

the inverter unit is disposed to cause cooling air sucked by the cooling fan through the suction hole of in the outer peripheral surface of the cover by the cooling fan to cool the heat radiating fins before cooling of the rotating electrical machine.

Application No.: 10/555,090

Attorney Docket No.: Q90831

- 4. (currently amended): The Avehicular rotating electrical machine apparatus according to claim 13, characterized in that part of or all of the heat radiating fins are radially disposed substantially toward a center direction.
- 5. (currently amended): The A vehicular rotating electrical machine apparatus according to claim 13, characterized in that part of or all of the heat radiating fins are disposed substantially in parallel to the shaft and to expand radially from a center direction.
- 6. (currently amended): The A vehicular rotating electrical machine apparatus according to claim 31, characterized in that a partition wall or an air-guide wall to control an exhaust direction is provided to the cover or the bracket to which the inverter unit is fixed, so that high temperature exhaust cooling air exhausted from the exhaust hole provided in the outer periphery of the bracket is not circulated to and sucked through the suction hole of the cover.
- 7. (currently amended): TheA vehicular rotating electrical machine apparatus according to claim 21, characterized in that raw material of the cover is metal.
- 8. (currently amended): A vehicular rotating electrical machine apparatus comprising: according to claim-1, characterized in that the inverter unit-includes the

Application No.: 10/555,090

Attorney Docket No.: Q90831

a rotating electrical machine including a shaft rotatably supported by a pair of brackets having a suction hole at an end face and an exhaust hole at an outer periphery, a rotor disposed in the pair of brackets, fixed to the shaft, having a field winding mounted to an inside, and having cooling fans mounted to both end faces, and an armature fixed to the pair of brackets at an outer periphery of the rotor to surround the rotor and including an armature iron core on which an armature winding is wound, and

an inverter unit which converts DC power of a battery into AC power, supplies the AC power to the armature winding and causes the rotor to generate rotating power, or converts AC power generated in the armature winding into DC power and charges the battery, the inverter unit including an inverter module having plural switching elements and at least a field current control device for controlling the field current or a control device for controlling switching operations of the plural switching elements,

wherein the inverter unit has a substantially hollow cylindrical shape or hollow polygonal prism shape and a heat sink having the many constructed with plural heat radiating fins made of formed of metal material at least one place of in at least one part of an inner peripheral surface, or an a bracket side end face, or and an outer peripheral surface, the inverter module and at least the field current control device or the control device are mounted on the heat sink and a thermal conduction blocking portion is provided such that part of the heat sink on which the inverter module is mounted and the part of the heat sink on which the field current control device or the control device is mounted are not thermally influenced by each other, is integrally fixed to an inside end-face of one of the pair of brackets fixed to either one of the inner end faces of the paired brackets integrally and the roter and the armature are partitioned by a substantially donut-

Application No.: 10/555,090

Attorney Docket No.: Q90831

shaped partition plate with integrally fixed to either one of the inner side end faces of the paired

brackets and having a through hole at a center-opened at a center between the rotor and the

armature; and

the inverter unit is disposed to cause cooling air sucked through the suction hole of in the

end face of the brackets in an axial direction by the cooling fan to cool the heat radiating fins

before cooling of the rotating electrical machine.

9. (currently amended): The A vehicular rotating electrical machine apparatus

according to claim 87, characterized in that the partition plate is integrally fixed to the inverter

unit.

10-14. (canceled).

15. (currently amended): The A vehicular rotating electrical machine apparatus

according to claim 401, characterized in that the switching elements includes SiC-MOSFETs

using SiC composition material.

16. (currently amended): The Avehicular rotating electrical machine apparatus

according to claim 401, characterized in that the switching elements include SiC-SITs using SiC

composition material.

Application No.: 10/555,090

Attorney Docket No.: Q90831

17. (currently amended): The A vehicular rotating electrical machine apparatus according to any one of claims claim 1-to-5, characterized in that the rotor includes

a rotor iron core including a magnetic pole part formed into a claw-pole type in which adjacent magnetic poles are different from each other and a cylindrical part having the field winding, and

a permanent magnet which is provided in a magnetic circuit of the rotor iron core and supplies, together with the field winding, a magnetic flux to the armature iron core.

AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q90831

Application No.: 10/555,090

REMARKS

I. Formal Matters

Claims 1, 3-9 and 15-17 are all the claims pending in the present Application. By this Amendment, Applicants amend claims 1, 3-9 and 15-17. Applicants also cancel claims 2 and 10-14.

With regard to the Information Disclosure Statement (IDS) filed on November 2, 2005, the Examiner contends that it is improper. Specifically, the Examiner asserts that the IDS fails to comply with 37 C.F.R. § 1.98 because the references listed on the PTO/SB/08 form have not been provided. Applicants respectfully disagree.

Applicants respectfully note that a copy of the International Search Report in a counterpart Application was submitted along with the IDS of November 2, 2005. The International Search Report caused the references to be listed in the IDS. Further, the USPTO should have received copies of the references cited in the International Search Report from the International Bureau. Based on Applicant's review of the Image File Wrapper at USPTO website, it appears that the references have not been received from the International Bureau.

In the IDS of November 2, 2005, Applicants also noted that any reference not received from the International Bureau would be furnished by the Applicants upon request. As such, Applicants assert that the IDS filed on November 2, 2005 was proper and no additional fee is required at this time. Additionally, for the Examiner's convenience, Applicants attach a copy of the references cited in the International Search Report that were not received from the International Bureau.

Applicants thank the Examiner for considering the JP 11-180162 reference.

AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q90831

Application No.: 10/555,090

II. Claim Rejections

The Examiner has rejected claims 1-6, 9 and 14 under 35 U.S.C. § 102(b) as allegedly being anticipated by Ihata (U.S. Patent No. 6,198,188). Additionally, the Examiner has rejected claims 7 and 8 under 35 U.S.C. § 103(a) as allegedly being unpatentable over Ihata. The Examiner has also rejected claims 10-13 under 35 U.S.C. § 103(a) as allegedly being unpatentable over Ihata as applied to claim 1 above, in view of Kinoshita et al. (U.S. Patent No. 5,517,401). Applicants respectfully disagree.

Ihata relates to a rectifier cooling fin arrangement of a vehicle AC generator. For this purpose, Ihata discloses a rectifier (6) which has a plurality of "cooling fins." Further, the rectifier 6 is fixed to the rear frame (5) which holds the rotor (3) and the stator (2). The rotor (3) of Ihata also includes cooling fans (36) attached to the front and rear side of the rotor. The rectifier (6) of Ihata is covered by a rear cover (9), which has a plurality of air intake windows located on its rear wall. Additionally, the rectifier (6) of Ihata is used to convert three-phase AC power generated by the stator winding into DC power.

With regard to claim 1, the Examiner has already conceded that Ihata fails to teach, or even suggest, an inverter module, a field control device or a control device. (See Office Action, page 9, with respect to the elements of claims 10-13). However, the Examiner attempts to cure this deficiency by relying on Kinoshita. Applicants respectfully assert that Kinoshita fails to cure the deficient disclosure of Ihata.

Specifically, even if, arguendo, Kinoshita taught all of the elements asserted by the Examiner, it would still fail to teach, or even suggest, at least "the inverter module and at least the field current control device or the control device [being] mounted on the heat sink and a

Application No.: 10/555,090

Attorney Docket No.: Q90831

. AL .

thermal conduction blocking portion is provided such that part of the heat sink on which the

inverter module is mounted and the part of the heat sink on which the field current control device

or the control device is mounted are not thermally influenced by each other," as recited in

claim 1.

In other words, in one exemplary embodiment of the present invention, the heat sink is

separated by a thermal conduction blocking portion. In this exemplary embodiment, the inverter

module is mounted on one side of the heat sink while the control device is mounted on the other

part of the heat sink. As a result, the two parts of the heat sink are not thermally influenced by

each other. Moreover, the inverter module and the control unit, connected to the respective parts

of the heat sink, are also not thermally influenced by each other.

Instead, neither Kinoshita nor Ihata teach a "thermal conduction blocking portion" nor do

they teach the specific location of the control element or the inverter module on the heat sink.

For at least this reason, Applicants respectfully assert that claim 1 is allowable over the cited art

of record.

Additionally, with regard to claim 1, Ihata fails to teach, or even suggest, at least an

"inverter unit [which has] a heat slnk baving many heat radiating fins on at least part of an

outer surface." That is, the inverter unit, according to an exemplary embodiment of the present

invention, includes a heat sink, wherein the heat sink has a plurality of heat radiating fins.

In the Office Action of June 7, 2007, the Examiner states "Fig 3B of Ihata shows the

rectifier unit (element 6) including heat sink elements 62 and 63." (See Office Action, page 7,

Application No.: 10/555,090

Attorney Docket No.: Q90831

¶12). However, the Examiner relies on the same elements as allegedly disclosing the plurality of heat radiating fins. This is improper.

It is well known that, when examining the claims of an application, "[a]ll words in a claim must be considered in judging the patentability of that claim against the prior art." MPEP § 2143.03; see also In re Wilson, 424 F.2d 1382, 1385, 165 USPQ 494, 496 (CCPA 1970). Additionally, "[w]hen evaluating claims for obviousness under 35 U.S.C. § 103, all the imitations of the claims must be considered and given weight. MPEP § 2143.03; see also Ex parte Grasselli, 231 USPQ 393 (Bd. App. 1983) aff'd mem. 738 F.2d 453 (Fed. Cir. 1984).

In this case, the Examiner's interpretation of the claim is impermissibly broad. With regard to claim 1, the Examiner gives no patentable weight to the "having many heat radiating fins on at least part of an outer surface" limitation. That is, the Examiner seems to assert that "heat sink elements 62 and 63" of Ihata correspond to both the heat sink, and the "many heat radiating fins." This is clearly improper. For at least this additional reason, Applicants respectfully assert that claim 1 is allowable over the cited art of record.

With regard to claims 2 and 10-14, these claims have been canceled. As such, Applicants respectfully assert that the rejection of these claims is now moot.

With respect to claim 3 and 8, Applicants respectfully assert that claims 3 and 8 are allowable for reasons analogous to those recited with respect to claim 1. They are also allowable because of the additional limitations recited therein.

Application No.: 10/555,090

Attorney Docket No.: Q90831

With respect to claims 4-7, these claims depend from independent claim 1. As such, these claims are allowable at least by virtue of their dependency from claim 1. They are also allowable because of the additional limitations recited therein.

For example, Ihata does not describe the specific layout of the plurality of cooling fins, as set forth in claims 4 and 5. Specifically, as described with respect to claim 1 above, the Examiner regards "cooling fins 62 and 63" as corresponding to the heat sink. However, claims 4 and 5 are directed to the cooling fins which are located on at least the outer surface of the heat sink, and are not the heat sink itself. As described above, a heat sink is not the same as a heat radiating fin. For at least this additional reason, Applicants respectfully assert that claims 4 and 5 are not anticipated, or rendered obvious, in view of the cited art of record.

With respect to claim 9, this claim depends from independent claim 8. As such,

Applicants respectfully assert that claim 9 is allowable at least by virtue of its dependency from claim 8.

Next, the Examiner has rejected claims 15 and 16 under 35 U.S.C. § 103(a) as allegedly being unpatentable over Ihata in view of Kinoshita as applied to claim 10 and in further view of Sato (U.S. Patent No. 5,731,689). Applicants respectfully disagree.

With regard to claims 15 and 16, these claims depend from independent claim 1. As such Applicants respectfully assert that claims 15 and 16 are patentable at least by virtue of their dependency from claim 1. Additionally, Applicants have already demonstrated the deficient disclosure of Ihata and Kinoshita, as applied to independent claim 1. The Examiner relies on Sato only for its alleged disclosure of a "MOSFET using SiC in a SiC-SIT structure." As such,

Application No.: 10/555,090

Attorney Docket No.: Q90831

even if, arguendo, Sato disclosed all of the additional limitations of claims 15 and 16 as the

Examiner asserts, it would still fail to cure the deficient disclosure of Ihata and Kinoshita.

The Examiner has also rejected claim 17 under 35 U.S.C. § 103(a) as allegedly being

unpatentable over Ihata as applied to claims 1-5, in view of Kusase et al. (U.S. Patent No.

5,793,144). Applicants respectfully disagree.

With regard to claim 17, this claim depends from independent claim 1. As such

Applicants respectfully assert that claim 17 is patentable at least by virtue of its dependency from

claim 1. Additionally, Applicants have already demonstrated the deficient disclosure of Ihata, as

applied to independent claim 1. The Examiner relies on Kusase only for its alleged disclosure of

the additional limitations of claim 17. As such, even if, arguendo, Kusase disclosed all of the

additional limitations of claim 17, as the Examiner asserts, it would still fail to cure the deficient

disclosure of Ihata.

III. Conclusion

In view of the above, reconsideration and allowance of this application are now believed

to be in order, and such actions are hereby solicited. If any points remain in issue which the

Examiner feels may be best resolved through a personal or telephone interview, the Examiner is

kindly requested to contact the undersigned attorney at the telephone number listed below.

This Application is being filed via the USPTO Electronic Filing System (EFS).

Applicants herewith petition the Director of the USPTO to extend the time for reply to the

above-identified Office Action for an appropriate length of time if necessary.

Application No.: 10/555,090

Attorney Docket No.: Q90831

Any fee due under 37 U.S.C. § 1.17(a) is being paid via the USPTO Electronic Filing System (EFS). The USPTO is also directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account.

Respectfully submitted,

SUGHRUE MION, PLLC Telephone: (202) 293-7060

Facsimile: (202) 293-7860

WASHINGTON OFFICE 23373
CUSTOMER NUMBER

Date: September 7, 2007

/Nataliya Dvorson/ Nataliya Dvorson Registration No. 56,616